	Application No.	Applicant(s)
Notice of Allowability	10/686,014	RIEDER ET AL.
	Examiner	Art Unit
	Stefan Kruer	3654
	Stelan Kruel	3034
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>15 February 2007</u> .		
2. The allowed claim(s) is/are <u>1 - 4, 6 - 9, 13 - 15, 17 - 19 and 21 - 22</u> .		
3.		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
·		,
Attachment(s)	_	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal P6. ☒ Interview Summary	• •
- ,	Paper No./Mail Dat	te <u>30 March 2007</u> .
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 10/686,014

Art Unit: 3654

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Les Fortney on 30 March 2007.

The application has been amended with respect to Claims 4, 21 and 22 as follows:

Claim 4, Line 2, and Claim 21, Line 16, have been further amended to include the term "the tensioning cable" after "and" of "...and is effectively connected with the pulley carrier", thereby written as "...and the tensioning cable is effectively connected with the pulley carrier"

Claim 21, Lines 8 and 11, has been further amended by replacing the term "roller" of "tensioning roller" with the term "pulley", thereby "tensioning *pulley*".

Further to Claim 21, Line 7, "and" is to be deleted. Additionally, "including" commencing at Lines 13 and 15 is to be replaced by "a".

Claim 22, Line 8, has been further amended by replacing the term "roller" of "tensioning roller" with the term "pulley", thereby "tensioning *pulley*".

Further to Claim 22, Lines 7 and 12, "and" is to be deleted. Additionally to Line 14, "...inner mast." has been further amended as "... inner mast, and wherein a lifting cylinder to raise the inner mast is located on both sides of the center mast, and wherein the pulley carrier is mounted by means of guide rollers on cylinder tubes of the lifting cylinders."

With respect to the single drawing, the drawing is to be designated as "Figure 1".

Application/Control Number: 10/686,014

Art Unit: 3654

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stefan Kruer whose telephone number is 571.272.5913. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Crawford can be reached on 571.272.6911. The fax phone number for the organization where this application or proceeding is assigned is 571.273.8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866.217.9197 (toll-free).

SHK

30 March 2007

SUPERVISORY PATENT EXAMINER